## Thomas A. Montagnese, DDS, MS Endodontist

dr\_montagnese@hotmail.com

1550 Cooper Foster Park Rd. Lorain, OH 44053 (440)960-2660, fax (440) 960-0180 Toll Free: (888) 230-9439 Mobile: (440) 864-4607

## Care of Your Mouth After Endodontic Surgery

To allow your body time to heal itself properly, please follow these instructions:

- 1. Ice or cold pack should be applied to the area 15 minutes on and 15 minutes off for the first 24 hours. After this, a hot water bottle can be applied until swelling is decreased.
- 2. **DO NOT** pull at your lip or cheek to look at the area. It is important not to tear the sutures through the gum tissue or to disturb the healing process.
- 3. Smoking and drinking alcoholic beverages may delay the healing process. Do not smoke or drink alcoholic beverages during the first 24 hours.
- 4. Pain is usually slight and is managed well with ibuprofen (e.g. Advil), Tylenol or similar over-the-counter pain relievers.
- 5. **SWELLING:** Some swelling is normal and generally disappears in 3-5 days.
- 6. Discoloration of the face may occur and is little cause for concern. It generally clears up within 7-10 days.
- 7. **BLEEDING:** Some oozing of blood from the surgery is normal. Pressure will control this. If bleeding seems to occur a couple of hours after surgery, apply pressure. This may be a "rebound" affect from an ingredient in the local anesthesia.
- 8. **DIET:** It is always important to eat and drink well. Do not chew on the area that has been operated on for at least 24 hours. Liquids are very important.
- 9. **ORAL HYGIENE:** Clean your mouth carefully. The area operated on should not be brushed for the first 24 hours. After that use a **soft toothbrush** to gently clean the teeth and a **wet cotton ball** or **gauze** to gently wipe the gum area, especially if a whitish debris is collecting.
- 10. Sutures (stitches) are normally to be removed in 2-7 days. This is a painless procedure and takes about 5 minutes.
- 11. If any unusual symptoms occur, such as continued bleeding, fever, pain not controlled by Advil (see No. 4), etc., call our office at once.